Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1634	Ellison.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:07
L3	24	L2 and (memory with isolat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:08
L4	191803	(memory with (isolat$4 or separat$5 or distinct$4 or distinguish$4 or apart$4 or divid$4 or secur$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:16
L5	821652	(process$4 with (isolat$4 or separat$5 or distinct$4 or distinguish$4 or apart$4 or divid$4 or secur$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:16
L6	49859	((process$4 or execut$4 or function$4) with (normal or standard or regular) with (mode or type or status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:20
L7	60492	(process$4 with (isolat$4 or separat$5 or distinct$4 or distinguish$4 or apart$4 or divid$4 or secur$5) with (mode or type or status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:21
L8	21059	(memory with (isolat$4 or separat$5 or distinct$4 or distinguish$4 or apart$4 or divid$4 or secur$5) with (mode or type or status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:21
L9	628	L6 and L7 and L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:17
L10	4189	(chipset$4 or circuit or hardware) with L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:24

L11	64	L10 with (boot$4 or initial$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:24
L12	6	L11 and L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:18
L13	1	("6684330").URPN.	USPAT	OR	ON	2005/08/29 11:19
L14	51016	((process$4 or execut$4 or function$4) with (normal or standard$5 or regular) with (mode or type or status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:20
L15	62404	(process$4 with (isolat$4 or separat$5 or distinct$4 or distinguish$4 or apart$4 or divid$4 or secur$5 or privat$4 or secret$4) with (mode or type or status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:21
L16	21723	(memory with (isolat$4 or separat$5 or distinct$4 or distinguish$4 or apart$4 or divid$4 or secur$5 or privat$4 or secret$4) with (mode or type or status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:21
L17	718	L14 and L15 and L16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:22
L18	10	(chipset$4 or circuit or hardware) with L15 with (boot$4 or inital$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:24
L19	1073	L15 with (boot$4 or initial$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:27
L20	4274	(chipset$4 or circuit or hardware) with L15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:24

L21	68	L20 with (boot$4 or initial$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:25
L22	6	L17 and L21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:25
L23	0	("6664803").URPN.	USPAT	OR	ON	2005/08/29 11:26
L24	61	L19 and L17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:27
L25	15	L24 and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:30
L26	2	"20010008015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:30
L27	11	"6557104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:31
L28	2	L27 and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 11:30